Author index

Abe, H. *see* Yamaguchi, S.
Abel, G.J.W., Springer, F., Willmitzer, L. and Kossmann, J. *Cloning and functional analysis of a cDNA encoding a novel 139 kDa starch synthase from potato (*Solanum tuberosum *L.)* 981
Adam, Z. *see* Vishnevetsky, M.
Ahmad, M. and Cashmore, A.R. *The* pef *mutants of* Arabidopsis thaliana *define lesions early in the phytochrome signaling pathway* 1103
Ahmad, M. *see* Lin, C.
Akkermans, A.D.L. *see* Ribeiro, A.
Al-Babili, S. *see* Schledz, M.
Allen, G.J. and Sanders, D. *Control of ionic currents in guard cell vacuoles by cytosolic and luminal calcium* 1055
Alvarez Gil, M. *see* Leon-Kloosterziel, K.M.
Amrhein, N. *see* Eberhard, J.
An, Y.-Q. *see* Huang, S.
An, Y.-Q., McDowell, J.M., Huang, S., McKinney, E.C., Chambliss, S. and Meagher, R.B. *Strong, constitutive expression of the* Arabidopsis ACT2/ACT8 *actin subclass in vegetative tissues* 107
Anderson, L.E., Huppe, H.C., Li, A.D. and Stevens, F.J. *Identificaton of a potential redox-sensitive interdomain disulfide in the sedoheptulose bisphosphatase of* Chlamydomonas 553
Aoki, M. *see* Hayashi, M.
Avidgor, V. *see* Lerouge, P.
Avramova, Z., Tikhonov, A., SanMiguel, P., Jin, Y.-K., Liu, C., Woo, S.-S., Wing, R.A. and Bennetzen, J.L. *Gene identification in a complex chromosomal continuum by local genomic cross-referencing* 1163
Axelsen, K.B. *see* Baunsgaard, L.

Baima, S. *see* Di Cristina, M.
Baldwin, D.A. and Gurley, W.B. *Isolation and characterization of cDNAs encoding transcription factor IIB from* Arabidopsis *and soybean* 561
Barnes, S.A., Quaggio, R.B., Whitelam, G.C. and Chua, N.-H. fhy1 *defines a branch point in phytochrome A signal transduction pathways for gene expression* 1155
Bate, N., Spurr, C., Foster, G.D. and Twell, D. *Maturation-specific translational enhancement mediated by the 5′UTR of a late pollen transcript* 613
Batschauer, A. *see* Kunkel, T.
Bauer, P., Ratet, P., Crespi, M.D., Schultze, M. and Kondorosi, A. *Nod factors and cytokinins induce similar cortical cell division, amyloplast deposition and* MsEnod12A *expression patterns in alfalfa roots* 91
Baunsgaard, L., Venema, K., Axelsen, K.B., Villalba, J.M., Welling, A., Wollenweber, B. and Palmgren, M.G. *Modified plant plasma membrane H^+-ATPase with improved transport coupling efficiency identified by mutant selection in yeast* 451
Bauwe, H. *see* Kopriva, S.
Baynton, C.E., Potthoff, S.J., McCullough, A.J. and Schuler, M.A. *U-rich tracts enhance 3′ splice site recognition in plant nuclei* 703
Beachy, R.N. *see* Padgett, H.S.
Beltran-Herrera, J. *see* Renckens, S.
Bennetzen, J.L. *see* Avramova, Z.
Bergounioux, C. *see* Segers, G.
Beyer, P. *see* Schledz, M.
Bisseling, T. *see* Ribeiro, A.
Block, M.A. *see* Teyssier, E.
Boevink, P., Santa Cruz, S., Hawes, C., Harris, N. and Oparka, K.J. *Virus-mediated delivery of the green fluorescent protein to the endoplasmic reticulum of plant cells* 935
Bolle, C., Hermann, R.G. and Oelmuller, R. *Intron sequences are involved in the plastid- and light-dependent expression of the spinach* PsaD *gene* 919
Borisjuk, L. *see* Weber, H.
Brennicke, A. *see* Grohmann, L.
Brignon, P. *see* Chaubet, N.
Brown, J.W.S. Arabidopsis *intron mutations and pre-mRNA splicing* 771
Bruggemann, E., Handwerger, K., Essex, C. and Storz, G. *Analysis of fast neutron-generated mutants at the* Arabidopsis thaliana HY4 *locus* 755
Buchala, A. *see* Schweizer, P.
Bui Dang Ha, D. *see* Dubois, F.
Bustos, M.M. *see* Chern, M.-S.

Canas, L. *see* Tornero, P.
Capone, I. *see* De Paolis, A.
Carneiro, V. *see* Dietrich, A.
Cashmore, A.R. *see* Ahmad, M.
Cashmore, A.R. *see* Lin, C.
Caspari, T., Robl, I., Stolz, J. and Tanner, W. *Purification of the* Chlorella *HUP1 hexose–proton symporter to homogeneity and its reconstruction* in vitro 1045
Cerff, R. *see* Kohler, U.
Chambliss, S. *see* An, Y.-Q.
Chamnongpol, S., Willekens, H., Langebartels, C., Van Montagu, M., Inze, D. and Van Camp, W. *Transgenic tobacco with a reduced catalase activity develops necrotic lesions and induces pathogenesis-related expression under high light* 491
Chan, J., Rutten, T. and Lloyd, C. *Isolation of microtubule-associated proteins from carrot cytoskeletons: a 120 kDa map decorates all four microtubule arrays and the nucleus* 251
Chan, Y.-S. *see* Xia, G.
Chandler, J., Wilson, A. and Dean, C. Arabidopsis *mutants showing an altered response to vernalization* 637
Chao, G. *see* Chen, W.
Chaubet, N., Flenet, M., Clement, B., Brignon, P. and Gigot, C. *Identification of* cis*-elements regulating the expression of an* Arabidopsis *histone H4 gene 425*
Chekkafi, A. *see* Lerouge, P.
Chen, L.-F.O. *see* To, K.-Y.
Chen, S.-C.G. *see* To, K.-Y.
Chen, W., Chao, G. and Singh, K.B. *The promoter of a H_2O_2-inducible,* Arabidopsis *glutathione* S*-transferase gene contains closely linked OBF- and OBP1-binding sites* 955
Cheng, M.-C. *see* To, K.-Y.
Chern, M.-S., Eiben, H.G. and Bustos, M.M. *The developmentally regulated bZIP factor ROM1 modulates transcription from lectin and storage protein genes in bean embryos* 135
Christensen, H.E.M., Ramachandran, S., Tan, C.-T., Surana, U., Dong, C.-H. and Chua, N.-H. Arabidopsis *profilins are functionally similar to yeast profilins: identification of a vascular bundle-specific profilin and a pollen-specific profilin* 269
Chu, C. *see* Kopriva, S.
Chua, N.-H. *see* Barnes, S.A.
Chua, N.-H. *see* Christensen, H.E.M.
Chua, N.-H. *see* Kunkel, T.

Chua, N.-H. *see* Wu, Y.
Chua, N.-H. *see* Xia, G.
Clarke, B. *see* Denyer, K.
Clement, B. *see* Chaubet, N.
Clouse, S.D. *Molecular genetic studies confirm the role of brassinosteroids in plant growth and development* 1
Cohn, J.R. *see* Minami, E.
Conejero, V. *see* Tornero, P.
Cosset, A. *see* Dietrich, A.
Costantino, P. *see* De Paolis, A.
Crespi, M.D. *see* Bauer, P.
Croy, R.R.D. *see* Stanchev, B.S.

Davies, B., Di Rosa, A., Eneva, T., Saedler, H. and Sommer, H. *Alteration of tobacco floral organ identity by expression of combinations of* Antirrhinum *MADS-box genes* 663
de Almeida Engler, J. see Niebel, A.
de Almeida Engler, J. *see* Segers, G.
De Greve, H. *see* Renckens, S.
De Paolis, A., Sabatini, S., De Pascalis, L., Costantino, P. and Capone, I. *A* rolB *regulatory factor belongs to a new class of single zinc finger plant proteins* 215
De Pascalis, L. *see* De Paolis, A.
De Rycke, R. *see* Renckens, S.
de Vries, B.J. *see* Kortstee, A.J.
Dean, C. *see* Chandler, J.
Deboeck, F. *see* Renckens, S.
Delaney, T. *see* Lawton, K.A.
Denyer, K. *see* Thorbjornsen, T.
Denyer, K., Clarke, B., Hylton, C., Tatge, H. and Smith, A.M. *The elongation of amylose and amylopectin chains in isolated starch granules* 1135
Devlin, P.F., Halliday, K.J., Harberd, N.P. and Whitelam, G.C. The rosette habit of Arabidopsis thaliana *is dependent upon phytochrome action: novel phytochromes control internode elongation and flowering time* 1127
Dharmasiri, S. *see* Leyser, H.M.O.
Di Cristina, M., Sessa, G., Dolan, L., Linstead, P., Baima, S., Ruberti, I. and Morelli, G. *The* Arabidopsis *Athb-10 (GLABRA2) is an HD-Zip protein required for regulation of root hair development* 393
Di Rosa, A. *see* Davies, B.
Dickinson, H. *see* Stanchev, B.S.
Dietrich, A., Marechal-Drouard, L., Carneiro, V., Cosset, A. and Small, I. *A single base change prevents import of cytosolic* $tRNA^{Ala}$ *into mitochondria in transgenic plants* 913
Dincher, S. *see* Friedrich, L.
Ding, B., Kwon, M.-O. and Warnberg, L. *Evidence that actin filaments are involved in controlling the permeability of plasmodesmata in tobacco mesophyll* 157
Dixon, R.A. *see* Pallas, J.A.
Dolan, L. *see* Di Cristina, M.
Dolezal, K. *see* Faiss, M.
Dong, C.-H. *see* Christensen, H.E.M.
Dotson, S.B., Lanahan, M.B., Smith A.G. and Kishore, G.M. *A phosphonate monoester hydrolase from* Burkholderia caryophilli *PG2982 is useful as a conditional lethal gene in plants* 383
Douce, R. *see* Teyssier, E.
Doughty, J. *see* Stanchev, B.S.
Draper, J. *see* Firek, S.
Dubois, F., Bui Dang Ha, D., Sangwan, R.S. and Durand, J. *The* Petunia tra1 *gene controls cell elongation and plant development, and mediates responses to cytokinins* 47
Durand, J. *see* Dubois, F.

Eberhard, J., Ehrler, T.T., Epple, P., Felix, G., Raesecke, H.-R., Amrhein, N. and Schmid, J. *Cytosolic and plastidic chorismate mutase isozymes from* Arabidopsis thaliana*: molecular characterization and enzymatic properties* 815
Ehrler, T.T. *see* Eberhard, J.
Eiben, H.G. *see* Chern, M.-S.
Eisner, G. *see* Hannoufa, A.
Endrizzi, K., Moussian, B., Haecker, A., Levin, J.Z. and Laux, T. *The* SHOOT MERISTEMLESS *gene is required for maintenance of undifferentiated cells in* Arabidopsis *shoot and floral meristems and acts at a different regulatory level than the meristem genes* WUSCHEL *and* ZWILLE 967
Eneva, T. *see* Davies, B.
Engstrom, P. *see* Soderman, E.
Epel, B.L. *see* Padgett, H.S.
Epple, P. *see* Eberhard, J.
Escudero, J., Neuhaus, G., Schlappi, M. and Hohn, B. *T-DNA transfer in meristematic cells of maize provided with intracellular* Agrobacterium 355
Essex, C. *see* Bruggemann, E.
Estelle, M. *see* Leyser, H.M.O.

Fairbairn, D.J. *see* Sadanandom, A.
Faiss, M., Strnad, M., Redig, P., Dolezal, K., Hanus, J., Van Onckelen, H. and Schmulling, T. *Chemically induced expression of the* rolC*-encoded β-glucosidase in transgenic tobacco plants and analysis of cytokinin metabolism: rolC does not hydrolyze endogenous cytokinin glucosides* in planta 33
Faye, L. *see* Lerouge, P.
Fedoroff, N.V. *see* Smith, D.
Fedoroff, N.V. *see* Tsugeki, R.
Feix, G. *see* Hetz, W.
Felix, G. *see* Eberhard, J.
Felix, G. *see* Schweizer, P.
Felle, H.H., Kondorosi, E., Kondorosi, A. and Schultze, M. *Rapid alkalinization in alfalfa root hairs in response to rhizobial lipochitooligosaccharide signals* 295
Ferreira, P. *see* Niebel, A.
Firek, S., Martin, D.J., Roberts, M.R., Sturgess, F., Scott, R. and Draper, J. *Gametophyte-specific transposition of the maize* Ds *element in transgenic tobacco* 569
Fitchette-Laine, A.-C. *see* Lerouge, P.
Flanagan, C.A., Hu, Y. and Ma, H. *Specific expression of the* AGL1 *MADS-box gene suggests regulatory functions in* Arabidopsis *gynoecium and ovule development* 343
Fleming, A.J., Manzara, T., Gruissem, W. and Kuhlemeier, C. *Fluorescent imaging of GUS activity and RT-PCR analysis of gene expression in the shoot apical meristem* 745
Flenet, M. *see* Chaubet, N.
Fordham-Skelton, A.P. *see* Groom, Q.J.
Foster, G.D. *see* Bate, N.
Fredlund, K.M., Widell, S. and Moller, I.M. *Stereospecificity of NADH-ferricyanide reductase is a convenient marker for the endoplasmic reticulum of plant cells* 925
Friedrich, L. *see* Lawton, K.A.
Friedrich, L., Lawton, K., Ruess, W., Masner, P., Specker, N., Gut Rella, M., Meier, B., Dincher, S., Staub, T., Uknes, S., Metraux, J.-P., Kessmann, H. and Ryals, J. *A benzothiadiazole derivative induces systemic acquired resistance in tobacco* 61

Furner, I.J. *Cell fate in the development of the* Arabidopsis *flower* 645

Gadisseur, I. *see* Segers, G.
Gassmann, W., Rubio, F. and Schroeder, J.I. *Alkali cation selectivity of the wheat root high-affinity potassium transporter HKT1* 869
Gheysen, G. *see* Niebel, A.
Gigot, C. *see* Chaubet, N.
Golovkin, M. *see* Reddy, A.S.N.
Gomez, M.D. *see* Tornero, P.
Gopalan, S., Wei, W. and He, S.Y. hrp *gene-dependent induction of* hin1*: a plant gene activated rapidly by both harpins and the* avrPto *gene-mediated signal* 591
Green, P.J. *see* van Hoof, A.
Grohmann, L., Rasmusson, A.G., Heiser, V., Thieck, O. and Brennicke, A. *The NADH-binding sub-unit of respiratory chain complex I is nuclear-encoded in plants and identified only in mitochondria* 793
Groom, Q.J., Torres, M.A., Fordham-Skelton, A.P., Hammond-Kosack, K.E., Robinson, N.J. and Jones, J.D.G. rbohA*, a rice homologue of the mammalian* gp91phox *respiratory burst oxidase gene* 515
Gruissem, W. *see* Fleming, A.J.
Guerinot, M.L. *see* Yi, Y.
Gurley, W.B. *see* Baldwin, D.A.
Gut Rella, M. *see* Friedrich, L.

Haecker, A. *see* Endrizzi, K.
Halliday, K.J. *see* Devlin, P.F.
Hammond-Kosack, K.E. *see* Groom, Q.J.
Handwerger, K. *see* Bruggemann, E.
Hangarter, R.P. *see* Zagotta, M.T.
Hannoufa, A., Negruk, V., Eisner, G. and Lemieux, B. *The* CER3 *gene of* Arabidopsis thaliana *is expressed in leaves, stems, roots, flowers and apical meristems* 459
Hanus, J. *see* Faiss, M.
Hara-Nishimura, I. *see* Koumoto, Y.
Harberd, N.P. *see* Devlin, P.F.
Harris, N. *see* Boevink, P.
Hartwell, J., Smith, L.H., Wilkins, M.B., Jenkins, G.I. and Nimmo, H.G. *Higher plant phosphoenolpyruvate carboxylase is regulated at the level of translatable mRNA in response to light or a circadian rhythm* 1071
Haubruck, H. *see* Schledz, M.
Hawes, C. *see* Boevink, P.
Hayashi, M., Aoki, M., Kato, A., Kondo, M. and Nishimura, M. *Transport of chimeric proteins that contain a carboxy-terminal targeting signal into plant microbodies* 225
Hayman, D. *see* Li, X.
He, S.Y. *see* Gopalan, S.
Hedrich, R. *see* Schulz-Lessdorf, B.
Hehl, R. *see* Kohler, U.
Heinlein, M. *see* Padgett, H.S.
Heiser, V. *see* Grohmann, L.
Hemerly, A. *see* Niebel, A.
Hermann, R.G. *see* Bolle, C.
Hernalsteens, J.-P. *see* Renckens, S.
Herrmann, R.G. *see* Robinson, D.
Hetz, W., Hochholdinger, F., Schwall, M. and Feix, G. *Isolation and characterization of* rtcs*, a maize mutant deficient in the formation of nodal roots* 845
Hicks, K.A. *see* Zagotta, M.T.
Hiei, Y. *see* Komari, T.
Hiratsuka, K. *see* Wu, Y.
Hochholdinger, F. *see* Hetz, W.
Hohn, B. *see* Escudero, J.
Hong, Y. *see* Xia, G.
Hu, Y. *see* Flanagan, C.A.
Huang, S. *see* An, Y.-Q.
Huang, S., An, Y.-Q., McDowell, J.M., McKinney, E.C. and Meagher, R.B. *The* Arabidopsis thaliana ACT4/ACT12 *actin gene subclass is strongly expressed throughout pollen development* 189
Hunt, M. *see* Lawton, K.A.
Huppe, H.C. *see* Anderson, L.E.
Hylton, C. *see* Denyer, K.

Iglesias, V.A. *see* Papp, I.
Inze, D. *see* Chamnongpol, S.
Inze, D. *see* Niebel, A.
Inze, D. *see* Segers, G.
Ishiguro, S. *see* Smith, D.
Itzhaki, H. *see* Vishnevetsky, M.

Jacobs, C.I. *see* Zagotta, M.T.
Jacobsen, E. *see* Kortstee, A.J.
Jacobsen, S.E. *see* Leon-Kloosterziel, K.M.
Jacqmard, A. *see* Segers, G.
Jenkins, G.I. *see* Hartwell, J.
Jia, S.R., Kumar, P.P. and Kush, A. *Oxidative stress in* Agrobacterium*-induced tumors on* Kalanchoe *plants* 545
Jin, Y.-K. *see* Avramova, Z.
Jones, J.D.G. *see* Groom, Q.J.
Joyard, J. *see* Teyssier, E.
Jurgens, G. *see* Torres-Ruiz, R.A.

Kahn, T.W. *see* Padgett, H.S.
Kamiya, Y. *see* Yamaguchi, S.
Karnauchov, I. *see* Robinson, D.
Kato, A. *see* Hayashi, M.
Kawano, S. *see* Matsunaga, S.
Kessmann, H. *see* Friedrich, L.
Kessmann, H. *see* Lawton, K.A.
Kishore, G.M. *see* Dotson, S.B.
Kjellbom, P. *see* Stohr, C.
Kleinig, H. *see* Schledz, M.
Klessig, D.F. *see* Shah, J.
Klosgen, R.B. *see* Robinson, D.
Knott, T. *see* Sadanandom, A.
Kochieva, E.Z. *see* Tsugeki, R.
Kohler, U., Mendel, R.R., Cerff, R. and Hehl, R. *A promoter for strong and ubiquitous anaerobic gene expression in tobacco* 175
Komari, T., Hiei, Y., Saito, Y., Murai, N. and Kumashiro, T. *Vectors carrying two separate T-DNAs for co-transformation of higher plants mediated by* Agrobacterium tumefaciens *and segregation of transformants free from selection markers* 165
Kondo, M. *see* Hayashi, M.
Kondo, M. *see* Koumoto, Y.
Kondorosi, A. *see* Bauer, P.
Kondorosi, A. *see* Felle, H.H.
Kondorosi, E. *see* Felle, H.H.
Koornneef, M. *see* Leon-Kloosterziel, K.M.
Kooter, J.M. *see* Kunz, C.

Kopriva, S., Chu, C. and Bauwe, H. *H-protein of the glycine cleavage system in* Flaveria*: alternative splicing of the pre-mRNA occurs exclusively in advanced C_4 species of the genus* 369
Kortstee, A.J., Vermeesch, A.M.S., de Vries, B.J., Jacobsen, E. and Visser, R.G.F. *Expression of* Escherichia coli *branching enzyme in tubers of amylose-free transgenic potato leads to an increased branching degree of the amylopectin* 83
Kossmann, J. *see* Abel, G.J.W.
Kouchi, H. *see* Minami, E.
Koumoto, Y., Tsugeki, R., Shimada, T., Mori, H., Kondo, M., Hara-Nishimura, I. and Nishimura, M. *Isolation and characterization of a cDNA encoding mitochondrial chaperonin 10 from* Arabidopsis thaliana *by functional complementation of an* Escherichia coli groES *mutant* 1119
Kuhlemeier, C. *see* Fleming, A.J.
Kumar, P.P. *see* Jia, S.R.
Kumashiro, T. *see* Komari, T.
Kunkel, T., Neuhaus, G., Batschauer, A., Chua, N.-H. and Schafer, E. *Functional analysis of yeast-derived phytochrome A and B phycocyanobilin adducts* 625
Kunz, C., Schob, H., Stam, M., Kooter, J.M. and Meins, F.,Jr *Developmentally regulated silencing and reactivation of tobacco chitinase transgene expression* 437
Kuroiwa, T. *see* Matsunaga, S.
Kush, A. *see* Jia, S.R.
Kwon, M.-O. *see* Ding, B.

Lamb, C. *see* Pallas, J.A.
Lanahan, M.B. *see* Dotson, S.B.
Langebartels, C. *see* Chamnongpol, S.
Langridge, P. *see* Li, X.
Laux, T. *see* Endrizzi, K.
Lawton, K. *see* Friedrich, L.
Lawton, K.A., Friedrich, L., Hunt, M., Weymann, K., Delaney, T., Kessmann, H., Staub, T. and Ryals, J. *Benzothiadiazole induces disease resistance in* Arabidopsis *by activation of the systemic acquired resistance signal transduction pathway* 71
Leclerc, D. *see* Merkle, T.
Leech, R.M. and Marrison, J.L. *Immunofluorescent quantitation of chloroplast proteins* 1169
Lemieux, B. *see* Hannoufa, A.
Leon-Kloosterziel, K.M., Alvarez Gil, M., Ruijs, G.J., Jacobsen, S.E., Olszewski, N.E., Schwartz, S.H., Zeevaart, J.A.D. and Koornneef, M. *Isolation and characterization of abscisic acid-deficient* Arabidopsis *mutants at two new loci* 655
Lerouge, P., Fitchette-Laine, A.-C., Chekkafi, A., Avidgor, V. and Faye, L. *N-linked oligosaccharide processing is not necessary for glycoprotein secretion in plants* 713
Levin, J.Z. *see* Endrizzi, K.
Levy, M. *see* Vishnevetsky, M.
Leyser, H.M.O., Pickett, F.B., Dharmasiri, S. and Estelle, M. *Mutations in the* AXR3 *gene of* Arabidopsis *result in altered auxin response including ectopic expression from the* SAUR-AC1 *promoter* 403
Li, A.D. *see* Anderson, L.E.
Li, X., Nield, J., Hayman, D. and Langridge, P. *A self-fertile mutant of* Phalaris *produces an S protein with reduced thioredoxin activity* 505
Liang, X., Shen, N.F. and Theologis, A. *Li^+-regulated 1-aminocyclopropane-1-carboxylate synthase gene expression in* Arabidopsis thaliana 1027
Libal-Weksler, Y. *see* Vishnevetsky, M.
Lin, C., Ahmad, M. and Cashmore, A.R. Arabidopsis *cryptochrome 1 is a soluble protein mediating blue light-dependent regulation of plant growth and development* 893
Linstead, P. *see* Di Cristina, M.
Liu, C. *see* Avramova, Z.
Liu. Y.-G. *see* Smith, D.
Lloyd, C. *see* Chan, J.
Lohner, A. *see* Torres-Ruiz, R.A.
Lohse, G. *see* Schulz-Lessdorf, B.
Lydiate, D. *see* Sadanandom, A.

Ma, H. *see* Flanagan, C.A.
Maathuis, F.J.M. and Sanders, D. *Characterization of* csi52*, a Cs^+ resistant mutant of* Arabidopsis thaliana *altered in K^+ transport* 579
Manzara, T. *see* Fleming, A.J.
Marechal-Drouard, L. *see* Dietrich, A.
Marrison, J.L. *see* Leech, R.M.
Marshallsay, C. *see* Merkle, T.
Martin, D.J. *see* Firek, S.
Masner, P. *see* Friedrich, L.
Matsunaga, S., Kawano, S., Takano, H., Uchida, H., Sakai, A. and Kuroiwa, T. *Isolation and developmental expression of male reproductive organ-specific agenes in a dioecious campion,* Melandrium album *(*Silene latifolia*)* 679
Mattsson, J. *see* Soderman, E.
Matzke, A.J.M. *see* Papp, I.
Matzke, M.A. *see* Papp, I.
Mayda, E. *see* Tornero, P.
McCullough, A.J. *see* Baynton, C.E.
McDowell, J.M. *see* An, Y.-Q.
McDowell, J.M. *see* Huang, S.
McKinney, E.C. *see* An, Y.-Q.
McKinney, E.C. *see* Huang, S.
Meacock, P.A. *see* Ribeiro, A.
Meagher, R.B. *see* An, Y.-Q.
Meagher, R.B. *see* Huang, S.
Meeks-Wagner, D.R. *see* Zagotta, M.T.
Meier, B. *see* Friedrich, L.
Meins, F.,Jr *see* Kunz, C.
Meister, A. *see* Samoylova, T.I.
Mendel, R.R. *see* Kohler, U.
Merkle, T., Leclerc, D., Marshallsay, C. and Nagy, F. *A plant* in vitro *system for the nuclear import of proteins* 1177
Metraux, J.-P. *see* Friedrich, L.
Metraux, J.-P. *see* Schweizer, P.
Michalowski, S. *see* Papp, I.
Minami, E., Kouchi, H., Cohn, J.R., Ogawa, T. and Stacey, G. *Expression of the early nodulin, ENOD40, in soybean roots in response to various lipo-chitin signal molecules* 23
Misera, S. *see* Samoylova, T.I.
Moller, I.M. *see* Fredlund, K.M.
Morelli, G. *see* Di Cristina, M.
Mori, H. *see* Koumoto, Y.
Moscone, E.A. *see* Papp, I.
Moussian, B. *see* Endrizzi, K.
Muller, C. *see* Schweizer, P.
Murai, N. *see* Komari, T.
Murofushi, N. *see* Yamaguchi, S.
Murphy, D. *see* Sadanandom, A.
Muze, F.R. *see* Tang, H.V.

Nagatani, A. *see* Sakamoto, K.
Nagy, F. *see* Merkle, T.
Narasimhulu, S.B. *see* Reddy, A.S.N.
Nasrallah, J.B. *see* Tobias, C.M.
Negruk, V. *see* Hannoufa, A.
Neuhaus, G. *see* Escudero, J.
Neuhaus, G. *see* Kunkel, T.
Neuhaus, G. *see* Wu, Y.
Niebel, A., de Almeida Engler, J., Hemerly, A., Ferreira, P., Inze, D., Van Montagu, M. and Gheysen, G. *Induction of* cdc2a *and* cyc1At *expression in* Arabidopsis thaliana *during early phases of nematode-induced feeding cell formation* 1037
Nield, J. *see* Li, X.
Nimmo, H.G. *see* Hartwell, J.
Nishimura, M. *see* Hayashi, M.
Nishimura, M. *see* Koumoto, Y.
Noji, M. *see* Urao, T.

Oelmuller, R. *see* Bolle, C.
Ogawa, T. *see* Minami, E.
Ohlrogge, J.B. *see* Shorrosh, B.S.
Okada, K. *see* Smith, D.
Olsen, O.-A. *see* Thorbjornsen, T.
Olszewski, N.E. *see* Leon-Kloosterziel, K.M.
Oparka, K.J. *see* Boevink, P.
Oparka, K.J., Roberts, A.G., Roberts, I.M., Prior, D.A.M. and Santa Cruz, S. *Viral coat protein is targeted to, but does not gate, plasmodesmata during cell-to-cell movement of potato virus X* 805
Ovadis, M. *see* Vishnevetsky, M.

Padgett, H.S., Epel, B.L., Kahn, T.W., Heinlein, M., Watanabe, Y. and Beachy, R.N. *Distribution of tobamovirus movement protein in infected cells and implications for cell-to-cell spread of infection* 1079
Paiva, N.L. *see* Pallas, J.A.
Pallas, J.A., Paiva, N.L., Lamb, C. and Dixon, R.A. *Tobacco plants epigenetically suppressed in phenylalanine ammonia-lyase expression do not develop systemic aacquired resistance in response to infection by tobacco mosaic virus* 281
Palmgren, M.G. *see* Baunsgaard, L.
Papp, I., Iglesias, V.A., Moscone, E.A., Michalowski, S., Spiker, S., Park, Y.-D., Matzke, M.A. and Matzke, A.J.M. *Structural instability of a transgene locus in tobacco is associated with aneuploidy* 469
Park, Y.-D. *see* Papp, I.
Pawlowski, K. *see* Ribeiro, A.
Pennell, R.I. *see* Stohr, C.
Pickett, F.B. *see* Leyser, H.M.O.
Piffanelli, P. *see* Sadanandom, A.
Potthoff, S.J. *see* Baynton, C.E.
Praekelt, U. *see* Ribeiro, A.
Prasad, T.K. *Mechanisms of chilling-induced oxidative stress injury and atolerance in developing maize seedlings: changes in antioxidant system, oxidation of proteins and lipids, and protease activities* 1017
Pring, D.R. *see* Tang, H.V.
Prior, D.A.M. *see* Oparka, K.J.

Quaggio, R.B. *see* Barnes, S.A.

Rabbani, S. *see* Schledz, M.
Raesecke, H.-R. *see* Eberhard, J.
Ramachandran, S. *see* Christensen, H.E.M.
Ramachandran, S. *see* Xia, G.
Rasmusson, A.G. *see* Grohmann, L.
Ratet, P. *see* Bauer, P.
Reddy, A.S.N., Narasimhulu, S.B., Safadi, F. and Golovkin, M. *A plant kinesin heavy chain-like protein is a calmodulin-binding protein* 9
Redig, P. *see* Faiss, M.
Renckens, S., De Greve, H., Beltran-Herrera, J., Toong, L.T., Deboeck, F., De Rycke, R., Van Montagu, M. and Hernalsteens, J.-P. *Insertion mutagenesis and astudy of transposable elements using a new unstable virescent seedling allele for isolation of haploi* 533
Ribeiro, A., Praekelt, U., Akkermans, A.D.L., Meacock, P.A., van Kammen, A., Bisseling, T. and Pawlowski, K. *Identification of* agthi1, *whose product is involved in biosynthesis of the thiamine precursor thiazole, in actinorhizal nodules of* Alnus glutinosa 361
Roberts, A.G. *see* Oparka, K.J.
Roberts, I.M. *see* Oparka, K.J.
Roberts, M.R. *see* Firek, S.
Robinson, C. *see* Robinson, D.
Robinson, C. *see* Sadanandom, A.
Robinson, D., Karnauchov, I., Herrmann, R.G., Klosgen, R.B. and Robinson, C. *Protease-sensitive thylakoidal import machinery for the Sec-, ΔpH- and signal recognition particle-dependent protein targeting pathways, but not for* CF_oII *integration* 149
Robinson, N.J. *see* Groom, Q.J.
Robl, I. *see* Caspari, T.
Ruberti, I. *see* Di Cristina, M.
Rubio, F. *see* Gassmann, W.
Ruess, W. *see* Friedrich, L.
Ruijs, G.J. *see* Leon-Kloosterziel, K.M.
Rutten, T. *see* Chan, J.
Ryals, J. *see* Friedrich, L.
Ryals, J. *see* Lawton, K.A.

Sabatini, S. *see* De Paolis, A.
Sadanandom, A., Piffanelli, P., Knott, T., Robinson, C., Sharpe, A., Lydiate, D., Murphy, D. and Fairbairn, D.J. *Identification of a peptide methionine sulphoxide reductase gene in an oleosin promoter from* Brassica napus 235
Saedler, H. *see* Davies, B.
Safadi, F. *see* Reddy, A.S.N.
Saito, T. *see* Yamaguchi, S.
Saito, Y. *see* Komari, T.
Sakai, A. *see* Matsunaga, S.
Sakakibara, H., Takei, K. and Sugiyama, T. *Isolation and characterization of a cDNA that encodes maize uroporphyrinogen III methyltransferase, an enzyme involved in the synthesis of siroheme, which is a prosthetic group of nitrite reductase* 883
Sakamoto, K. and Nagatani, A. *Nuclear localization activity of phytochrome B* 859
Salazar, R.A. *see* Tang, H.V.
Samoylova, T.I., Meister, A. and Misera, S. *The flow karyotype of* Arabidopsis thaliana *interphase chromosomes* 949
Sanders, D. *see* Allen, G.J.
Sanders, D. *see* Maathuis, F.J.M.
Sangwan, R.S. *see* Dubois, F.
SanMiguel, P. *see* Avramova, Z.
Santa Cruz, S. *see* Boevink, P.

Santa Cruz, S. *see* Oparka, K.J.
Savage, L.J. *see* Shorrosh, B.S.
Schafer, E. *see* Kunkel, T.
Schertz, K.F. *see* Tang, H.V.
Schlappi, M. *see* Escudero, J.
Schledz, M., Al-Babili, S., v. Lintig, J., Haubruck, H., Rabbani, S., Kleinig, H. and Beyer, P. *Phytoene synthase from* Narcissus pseudonarcissus*: functional expression, galactolipid requirement, topological distribution in chromoplasts and induction during flowering* 781
Schmid, J. *see* Eberhard, J.
Schmulling, T. *see* Faiss, M.
Schob, H. *see* Kunz, C.
Schroeder, J.I. *see* Gassmann, W.
Schuler, M.A. *see* Baynton, C.E.
Schultze, M. *see* Bauer, P.
Schultze, M. *see* Felle, H.H.
Schulz-Lessdorf, B., Lohse, G. and Hedrich, R. *GCAC1 recognizes the pH gradient across the plasma membrane: a pH-sensitive and ATP-dependent anion channel links guard cell membrane potential to acid and energy metabolism* 993
Schwall, M. *see* Hetz, W.
Schwartz, S.H. *see* Leon-Kloosterziel, K.M.
Schweizer, P., Felix, G., Buchala, A., Muller, C. and Metraux, J.-P. *Perception of free cutin monomers by plant cells* 331
Scott, R. *see* Firek, S.
Scutt, C.P. *see* Stanchev, B.S.
Segers, G., Gadisseur, I., Bergounioux, C., de Almeida Engler, J., Jacqmard, A., Van Montagu, M. and Inze, D. *The* Arabidopsis *cyclin-dependent kinase gene* cdc2bAt *is preferentially expressed during S and G2 phases of the cell cycle* 601
Sessa, G. *see* Di Cristina, M.
Shah, J. and Klessig, D.F. *Identification of a salicylic acid-responsive element in the promoter of the tobacco pathogenesis-related β-1,3-glucanase gene* PR-2d 1089
Sharpe, A. *see* Sadanandom, A.
Shaw, L.C. *see* Tang, H.V.
Shen, N.F. *see* Liang, X.
Shibata, D. *see* Smith, D.
Shimada, T. *see* Koumoto, Y.
Shinozaki, K. *see* Urao, T.
Shorrosh, B.S., Savage, L.J., Soll, J. and Ohlrogge, J.B. *The pea chloroplast membrane-associated protein, IEP96, is a subunit of acetyl-CoA carboxylase* 261
Simanis, V. *see* Xia, G.
Singh, K.B. *see* Chen, W.
Small, I. *see* Dietrich, A.
Smith A.G. *see* Dotson, S.B.
Smith, A.M. *see* Denyer, K.
Smith, A.M. *see* Thorbjornsen, T.
Smith, D., Yanai, Y., Liu. Y.-G., Ishiguro, S., Okada, K., Shibata, D., Whittier, R.F. and Fedoroff, N.V. *Characterization and mapping of* Ds*-GUS-T-DNA lines for targeted insertional mutagenesis* 721
Smith, L.H. *see* Hartwell, J.
Snogerup, L. *see* Stohr, C.
Soderman, E., Mattsson, J. and Engstrom, P. *The* Arabidopsis *homeobox gene* ATHB-7 *is induced by water deficit and by abscisic acid* 375
Soll, J. *see* Shorrosh, B.S.
Sommer, H. *see* Davies, B.
Specker, N. *see* Friedrich, L.
Spiker, S. *see* Papp, I.
Springer, F. *see* Abel, G.J.W.
Spurr, C. *see* Bate, N.
Stacey, G. *see* Minami, E.
Stam, M. *see* Kunz, C.
Stanchev, B.S., Doughty, J., Scutt, C.P., Dickinson, H. and Croy, R.R.D. *Cloning of PCP1, a member of a family of pollen coat protein (PCP) genes from* Brassica oleracea *encoding novel cysteine-rich proteins involved in pollen–stigma interactions* 303
Staub, T. *see* Friedrich, L.
Staub, T. *see* Lawton, K.A.
Stevens, F.J. *see* Anderson, L.E.
Stohr, C., Snogerup, L., Pennell, R.I. and Kjellbom, P. *An agarose gel electrophoresis method for the separation of arabinogalactan proteins* 943
Stolz, J. *see* Caspari, T.
Storz, G. *see* Bruggemann, E.
Strnad, M. *see* Faiss, M.
Sturgess, F. *see* Firek, S.
Sugiyama, T. *see* Sakakibara, H.
Surana, U. *see* Christensen, H.E.M.

Takano, H. *see* Matsunaga, S.
Takei, K. *see* Sakakibara, H.
Tan, C.-T. *see* Christensen, H.E.M.
Tang, H.V., Pring, D.R., Shaw, L.C., Salazar, R.A., Muze, F.R., Yan, B. and Schertz, K.F. *Transcript processing internal to a mitochondrial open reading frame is correlated with fertility restoration in male-sterile sorghum* 123
Tanner, W. *see* Caspari, T.
Tatge, H. *see* Denyer, K.
Teyssier, E., Block, M.A., Douce, R. and Joyard, J. *Is E37, a major polypeptide of the inner membrane from plastid envelope, an S-adenosyl methionine-dependent methyltransferase?* 903
Theologis, A. *see* Liang, X.
Thieck, O. *see* Grohmann, L.
Thorbjornsen, T., Villand, P., Denyer, K., Olsen, O.-A. and Smith, A.M. *Distinct isoforms of ADPglucose pyrophosphorylase occur inside and outside the amyloplasts in barley endosperm* 243
Tikhonov, A. *see* Avramova, Z.
To, K.-Y., Cheng, M.-C., Chen, L.-F.O. and Chen, S.-C.G. *Introduction and expression of foreign DNA in isolated spinach chloroplasts by electroporation* 737
Tobias, C.M. and Nasrallah, J.B. *An S-locus-related gene in* Arabidopsis *encodes a functional kinase and produces two classes of transcripts* 523
Toong, L.T. *see* Renckens, S.
Tornero, P., Mayda, E., Gomez, M.D., Canas, L., Conejero, V. and Vera, P. *Characterization of LRP, a leucine-rich repeat (LRR) protein from tomato plants that is processed during pathogenesis* 315
Torres, M.A. *see* Groom, Q.J.
Torres-Ruiz, R.A., Lohner, A. and Jurgens, G. *The* GURKE *gene is required for normal organization of the apical region in the* Arabidopsis *embryo* 1005
Tsugeki, R. *see* Koumoto, Y.
Tsugeki, R., Kochieva, E.Z. and Fedoroff, N.V. *A transposon insertion in the* Arabidopsis SSR16 *gene causes an embryo-defective lethal mutation* 479
Twell, D. *see* Bate, N.

Uchida, H. *see* Matsunaga, S.
Uknes, S. *see* Friedrich, L.

Urao, T., Noji, M., Yamaguchi-Shinozaki, K. and Shinozaki, K. *A transcriptional activation domain of ATMYB2, a drought-inducible* Arabidopsis *Myb-related protein* 1145

v. Lintig, J. *see* Schledz, M.
Vainstein, A. *see* Vishnevetsky, M.
Van Camp, W. *see* Chamnongpol, S.
van Hoof, A. and Green, P.J. *Premature nonsense codons decrease the stability of phytohemagglutinin mRNA in a position-dependent manner* 415
van Kammen, A. *see* Ribeiro, A.
Van Montagu, M. *see* Chamnongpol, S.
Van Montagu, M. *see* Niebel, A.
Van Montagu, M. *see* Renckens, S.
Van Montagu, M. *see* Segers, G.
Van Onckelen, H. *see* Faiss, M.
Venema, K. *see* Baunsgaard, L.
Vera, P. *see* Tornero, P.
Vermeesch, A.M.S. *see* Kortstee, A.J.
Villalba, J.M. *see* Baunsgaard, L.
Villand, P. *see* Thorbjornsen, T.
Vishnevetsky, M., Ovadis, M., Itzhaki, H., Levy, M., Libal-Weksler, Y., Adam, Z. and Vainstein, A. *Molecular cloning of a carotenoid-associated protein from* Cucumis sativus *corollas: homologous genes involved in carotenoid sequestration in chromoplasts* 1111
Visser, R.G.F. *see* Kortstee, A.J.

Warnberg, L. *see* Ding, B.
Watanabe, Y. *see* Padgett, H.S.
Weber, H., Borisjuk, L. and Wobus, U. *Controlling seed development and seed size in* Vicia faba*: a role for seed coat-associated invertases and carbohydrate state* 823
Wei, W. *see* Gopalan, S.
Welling, A. *see* Baunsgaard, L.
Weymann, K. *see* Lawton, K.A.
Whitelam, G.C. *see* Barnes, S.A.
Whitelam, G.C. *see* Devlin, P.F.
Whittier, R.F. *see* Smith, D.
Widell, S. *see* Fredlund, K.M.
Wilkins, M.B. *see* Hartwell, J.
Willekens, H. *see* Chamnongpol, S.
Willmitzer, L. *see* Abel, G.J.W.
Wilson, A. *see* Chandler, J.
Wing, R.A. *see* Avramova, Z.
Wobus, U. *see* Weber, H.
Wollenweber, B. *see* Baunsgaard, L.
Woo, S.-S. *see* Avramova, Z.
Wu, Y., Hiratsuka, K., Neuhaus, G. and Chua, N.-H. *Calcium and cGMP target distinct phytochrome-responsive elements* 1149

Xia, G., Ramachandran, S., Hong, Y., Chan, Y.-S., Simanis, V. and Chua, N.-H. *Identification of plant cytoskeletal, cell cycle-related and polarity-related proteins using* Schizosaccharomyces pombe 781

Yamaguchi, S., Saito, T., Abe, H., Yamane, H., Murofushi, N. and Kamiya, Y. *Molecular cloning and characterization of a cDNA encoding the gibberellin biosynthetic enzyme* ent*-kaurene synthase B from pumpkin (*Cucurbita maxima *L.)* 203
Yamaguchi-Shinozaki, K. *see* Urao, T.
Yamane, H. *see* Yamaguchi, S.
Yan, B. *see* Tang, H.V.
Yanai, Y. *see* Smith, D.
Yi, Y. and Guerinot, M.L. *Genetic evidence that induction of root Fe(III) chelate reductase activity is necessary for iron uptake under iron deficiency* 835
Young, J.C. *see* Zagotta, M.T.

Zagotta, M.T., Hicks, K.A., Jacobs, C.I., Young, J.C., Hangarter, R.P. and Meeks-Wagner, D.R. *The* Arabidopsis ELF3 *gene regulates vegetative photomorphogenesis and the photoperiodic induction of flowering* 691
Zeevaart, J.A.D. *see* Leon-Kloosterziel, K.M.
Zhu, Q. *RNA polymerase II-dependent plant* in vitro *transcription systems* 185

Subject index

ABA 655
ABA-mutants 375
Ac 721
Ac/Ds 569
ACCase 261
acclimation 637
Acer pseudoplatanus 713
ACT4/ACT12 actin subclass 189
actin filaments 157
actinorhiza 361
activation domain 1145
ADPglucose pyrophosphorylase 243
agarose gel electrophoresis 943
Agrobacterium tumefaciens 165, 355, 545
alfalfa 91
alkali cation selectivity 869
alternative splicing 389
alternative transcripts 523
aminoacyl-tRNA synthetase 913
amylopectin 83, 1135
amyloplast 91, 243
amylose 1135
anaerobic gene expression 175
aneuploidy 469
anthers 303
anthocyanin 625
Antirrhinum majus 663
antisense 981
apical development 1005
Arabidopsis thaliana 1, 71, 107, 269, 343, 403, 459, 479, 523, 561, 579, 601, 637, 645, 655, 721, 755, 761, 815, 835, 893, 949, 955, 967, 1005, 1037, 1119, 1127, 1145
  mutants 71
arabinogalactan proteins 943
ATP 993
auxin 403
AXR3 403

β-carboxyltransferase 261
β-1,3-glucanase 437
β-glucuronidase 107, 189
bacterial pathogenesis 591
baculovirus 781
barley (*Hordeum vulgare* L.) 243
benzothiadiazole 61, 71
biosynthesis 203
biosynthetic mutants 1
biotinylation 1045
blue light 691
branching degree 83
Brassica napus 235
Brassica oleraceae 303
brassinosteroids 1
bZIP 135

C_4 plants 369
calcium 9, 1027, 1149, 1055
calmodulin 9
calmodulin-binding protein 9
carbohydrate status 823
carotenoid-associated protein 1111
carotenoids 781
castanospermine 713
catalase 491
cation currents 1055
cdc2bAt 601
CDK classes 601
cDNA 561
  cloning 883
cell ablation 383
cell cycle 601, 761, 1037
cell elongation 1, 47
cell polarity 761
CER3 459
cesium 579
cGMP 1149
ch-42 645
chaperonin 10, 1119
chimera 645
chimeric genes 1089
chitinase 437
Chlamydomonas reinhardtii 553
Chlorella kessleri 1045
chloroplast 149, 261, 737, 903, 1169
  uptake 1111
CHN48 437
chorismate mutase isozymes 815
chromoplast 1111
chromosomal continuum 1163
chromosome instability 469
circadian rhythm 1071
cis-elements 425
co-transformation 165
coat protein 805
confocal microscopy 745
cortical cell divisions 91
cortical microtubules 47
Crassulacean acid metabolism 1071
cryptochrome 1 (CRY1) 893
Cucumis sativus 1111
cycloheximide 1027
cytokinin 47, 91, 403
cytoplasmic male sterility 123
cytoskeleton 107, 251, 761
cytosol 815

daffodil 781
DAPI 949
defense-related genes 331
deletion mutant 755
development 845, 1169
differential expression 189
differential regulation 815
dioecious plant 679
disease resistance 1089
disease response 281
DNA content 949
DNA-binding proteins 185
domain cross-linking 553
drought 375
Ds 721

E. coli glgB gene 83
electroporation 737
elongated hypocotyl 1103
embryo 1005

endoplasmic reticulum 925, 935
endosperm 243
enhancer 613
ENOD40 23
ent-kaurene 203
  synthase B 203
envelope membranes 903
enzyme localization 243
epidermal cell differentiation 393
epidermis 679
Erwinia amylovora 591
ethylene 331, 393, 1027
evacuolation 1177
exon definition 771
expression 793
extracellular pH 331

far-red 1155
fast neutron irradiation 755
Fe(III) chelate reductase 835
feeding cell development 1037
fertility restoration 123
fhy1 1155
Flaveria 369
flow cytometry 949
flower development 343, 663, 1111
flower meristem 967
flowering 637, 691, 1103
flowering time 1127
fluorescence 1177
fluorescent *in situ* hybridization (FISH) 469
Frankia 361
FRE1 515
functional cloning 1119

GAL4 fusion protein 1145
galactolipids 781
gametophyte-specific transposition 569
GCAC1 993
gene expression 859, 883, 919
gene identification 1163
gene-internal control elements 919
gene regulation 107
gene transcription 185
gene transfer 737
genetic-physical map 733
genomic cross-referencing 1163
GFP 1079
gibberellins 203
glutathione *S*-transferase 955
glyceryl glyphosate 383
glycine cleavage system 369
glycoprotein secretion 713
glyoxysome 225
gp91phox 515
green fluorescent protein (GFP) 805, 935
guard cells 993
GURKE gene 1005
gynoecium 343

H^+-ATPase 451
H^+/ATP coupling ratio 451
H-protein cDNA 369
H-protein gene 369

H_2O_2 955
haploid plants 533
HD-Zip protein 393
herbicide selection 569
high-affinity potassium transporter 869
histone promoter 425
homeodomain 375
hormone-insensitive mutants 1
host-specificity 295
HY4 755
hypersensitive response 591
hypocotyl 691

IEP96 261
immunocytochemistry 1169
immunolocalization 805
in situ hybridization 343, 679
in vitro import 793
in vitro system 1177
in vitro transcription 185
in vitro translation 171
in vivo footprinting 425
insertional mutagenesis 479, 533, 721
interaction 625
internode elongation 1127
intracellular *Agrobacterium* 355
intracellular pH 295
intron recognition 703
introns 771
invertase 823
iron uptake 835
iron-chelate reductase 515
isoform 243, 981

K-252a 331
Kalanchoe 545
kinase 523
kinesin-like protein 9

leaf peroxisome 225
lectins 135
lethal gene 383
leucine zipper 375
light 1155
  activation 553
lipid peroxidation 1017
lipo-chitin 23
low temperature stress 1017
LRP 315

MADS-box 343, 663
maize 883
malate synthase 225
male component 303
malto oligosaccharides 1135
map integration 733
map-based cloning 733
mapping 637, 845
matrix-attachment region (MAR) 469
Medicago sativa 295
membrane 149
  association 781
  protein 903

meristem 745
  maintenance 967
  specificity 425
metabolic signal 823
methyltransferase 903
microbody 225
microinjection 625
microtubule-associated proteins (MAPs) 251
microtubules 251
mitochondria 123, 793, 913, 1119
Mol1 361
molecular recognition 315
motor protein 9
movement protein 1079
mRNA 1071
MsEnod12A 91
mutagenesis 637
mutant 403, 655, 845, 1127, 1155
mutation 47
myb homolog 1145

NADH-binding subunit 793
NADH-cytochrome c reductase 925
NADH-ferricyanide reductase 925
NADPH oxidase 515
negative selection 383
nematodes 1037
Nicotiana tabacum 157, 613
Nicotiana tabacum L. 165
nitrate reductase 533, 883
Nod factors 91
nodulation 295
nodules 361
nuclear protein import 1177
nuclei 859
nucleotide binding 993

OBF 955
ocs element 955
oleosin promoter 235
orf107 123
Oryza sativa 515
Oryza sativa L. 165
overexpression 761
ovule 343
oxidative stress 1017

patch clamp 579
pathogenesis 315
pathogenesis-related expression 491
pathogenesis-related proteins 1089
pattern formation 1005
PCR 745
pea 261
peptide methionine sulphoxide reductase gene 235
pericycle 189, 361
permeabilization 1177
Petunia hybrida 47, 533
pH 993
Phalaris coerulescens 505
phenylalanine ammonia-lyase 281
phosphoenolpyruvate carboxylase kinase 1071
phosphoinositide signaling 1027
phosphonate monoester hydrolase 383

photomorphogenesis 859, 1103
photoperiodism 1103
photoreceptor 625, 893, 1103
photosynthesis genes 919
phytochrome 691, 1103, 1127, 1155
phytochrome A 1149
phytochrome B 625, 859
phytoene synthase 781
phytohormones 545
Pisum sativum 1135
plant hormone 203
plant hypersensitive response 515
plant pre-mRNA splicing 703
plant transporter 1045
plasma membrane 451, 925, 943
plasmodesmata 157, 805, 1079
plastid 815, 903
  signal 919
pollen 269, 613, 679
potassium transport 579
potato tuber 981
potato virus X (PVX) 805, 935
pre-mRNA splicing 771
precursor 149
primordia 845
processing 1111
profilin 269
promoter analysis 919
protein kinase 1027
protein oxidation 1017
protein phosphorylation 331, 1071
protein targeting 935
protein transport 149, 225
PsaD 919
Pseudomonas syringae 591
purification 1045

quantitation 1169

receptor 523
reconstitution 1045
redox-sensitive cysteines 553
reductive activation 553
regulation 451
regulatory protein 215
repetitive DNA 1163
reporter gene 737, 745
respiratory burst 515
respiratory chain complex I 793
Rhizobium meliloti 295
RI lines 733
ribosomal proteins 479
RNA decay 415
RNA degradation 415
RNA polymerase II 185
rolB promoter 215
rolC gene 33
root 845
  cap 189
  hair development 393
rosette habit 1127
Rubisco 745, 1169

S-adenosyl methionine 903

Saccharomyces cerevisiae 451
salicylic acid 281, 591, 955, 1089
SAUR-AC1 403
Schizosaccharomyces pombe 761, 1045
sector 645
sedoheptulose bisphosphatase 553
seed coat 823
seed dormancy 655
seed size 823
seed storage proteins 135
seedling marker 533
selection-marker free transformants 165
self-incompatibility 303, 605
sense-suppression 281
sex chromosome 679
shoot meristem 967
signal transduction 295, 375, 745, 859
signaling 1155
silencing 437
siroheme 883
Solanum tuberosum 793
Solanum tuberosum L 83, 331
sorghum 123
soybean 561
  roots 23
spinach 737
3′ splice site selection 703
SSR16 gene 479
starch granules 1135
starch structure 981
starch synthase 981, 1135
stop codons 415
strategy I response 835
subunits 261
superoxide stress 545
synteny 733
systemic acquired resistance 61, 71, 269

tapetum 679
targeting 225, 1079
  signal 225
telotrisomics 949
terminal flower 691
termination 415
terpene cyclases 203
TFIIB 561
thi1 361
thi4 361
thiazole 361
thioredoxin activity 505
thylakoid 149
tobacco 437, 469, 491, 663, 1177
  mosaic virus 281
  plants 33
tobamoviridae 1079
tomato 1149
  plants 315
tonoplast 925
trans-acting factors 1089
transcription 561
  factor 135, 375, 1145
transfer RNA 913
  import 913
transgene 469
transgenic 107
  Arabidopsis 425
  plants 569
  tobacco 1089, 1119
transient expression 737
translation 415, 613
translational control 107
transposable elements 533
transposon 721
transposon-tagging 569
trichome development 393
trisomics 949
TTG 393
tumor formation 545

uroporphyrinogen III methyltransferase 883

vacuolar ion channels 1055
vascular bundles 269
vascular tissue 189
vernalization 637
Vicia faba 1055
  seed development 823
vicilin-box 135

wax biosynthesis 459
wheat 1169
  root 869
whorl 645

5′UTR 613

X-rays 645

yeast 269

Zea mays 845, 1017
zinc finger 215